



## RITACUBA21RS Laboratory High Speed Refrigerated Micro Centrifuge

With Standard Rotor 24x1,5/2ml Included

Price - €



LCD Display



Refrigerated  
-20°C to 40°C

Download  
Catalogue



RITACUBA21RS refrigerated microcentrifuge is widely used in medical and biochemistry laboratories.

- Inner chamber made from stainless steel.
- Automatic recognition and disbalance protection.
- Multi-stage shock absorption, low vibration, low noise.
- Embedded microprocessor control.
- DC brushless motor drive.
- LCD display, real-time display of all running parameters.
- Imported non-fluorine compressor unit.
- Double cycle refrigeration.



**21000rpm/30700xg (step 10rpm)**

Maximum speed and rcf meet all demand for clinical centrifuge



**Angle Rotor 24x1,5/2ml Included**



**LCD Display**



Item Name	RITACUBA21RS
Max. Speed rpm/xg	13000-21000rpm/30700xg
Display	LCD
Speed precision	±20rpm
Temperature control range	-20°C to 40°C
Noise	≤65dB (A)
Timer	1-999min 59s
Electric safety lid lock	Mechatronic motor door lock
Standard rotor included	24x1,5/2ml 17000rpm/26190xg
Consumption	1200W
Power supply	AC 220V, 50/60Hz
Dimension	67 x 75 x 44 cm
Weight kg	110

Please note  
 If this Centrifuge does not match the specific needs of your application, or some options are not listed for sale, please feel free to contact us. Our manufacturing engineers will come up with technical solutions to meet your needs. We reserve the right to change technical specifications at any time.

## COLO LabExperts

Laboratory Equipment production and Distribution

[www.colo.si](http://www.colo.si)

Polje ob Sotli 4

SI-3255 Slovenia

tel. +386 590 48 880 E-mail: [office@colo.si](mailto:office@colo.si)



[www.colo.si](http://www.colo.si)